

**Support facilities**

Sr.No.	Photographs	PageNo.
1	Auditoriums and Seminar Halls	3
2	Board Room	7
3	Faculty Block	8
4	License to use Elevator (Gujarat State)	9
5	Sanitary Pad Vending Machine & Incinerator - Girls Common Room	10
6	Day Care Centre	11
7	Hostels	12
8	CCTV Room	13
9	Server Room	14
10	Fire NOC	15
11	FSSAI License	18
12	Student Canteen	24
13	'Aswad' Mess	25
14	ATM Centre	27
15	Student Store	28
16	Vehicle Parking	29
17	Transportation Facility	29
18	Pradhanmantri Jan Aushadhi Kendra	30
19	Central Stock Warehouse & Maintenance Cell - ' <i>Chidakash</i> '	31
20	Gas Plant	32
21	Pilot Plant	33
22	Terrace Solar Panel System (Power Generation Facility)	34
23	Out Door Sports - Play Ground	35
24	RO Plant	36
25	Elevator	37
26	Electricity Control Panel & Green Power Backup	38
27	EVAC (Electric Vehicle Alternating Current) Charger	39
28	Green Power Backup – UPS	40





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

29	Power Generator	41
30	Electricity Control Panel	42

**Registrar
Atmiya University**

Rajkot

Atmiya University, Rajkot-Gujarat-India





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

GyanYagna Auditorium





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967


Criterion 4

I & LR

KI 4.1

M 4.1.1

Theatre/ Central Auditorium





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Chair Auditorium – 1 & 2





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Seminar Hall - 1 & 2





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Board Room





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Faculty Block





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

License to use Elevator (GujaratState)

ANNEXURE - 1
(SEE rules 4 and 6)
GUJARAT STATE
Licence to use

(This License is not transferable or assignable to any person or firm or company. This license is to be renewed at an interval of every Five years and must be produced to Licensing Authority before the prescribed time limit).

License No : GWZ/09/5585/2018

M/s M/s Sarvoday Kevalani Samaj, RAJKOT is / are hereby authorized to use the LIFT (the particulars of which are given below) installed at the premises owned by M/s Sarvoday Kevalani Samaj, --, M/S SARVODAY KELAVANI SAMAJ, YOGIDHAM GURUKUL, KALAWAD ROAD, Village: RAJKOT Taluka: RAJKOT, Dist: RAJKOT, GUJARAT, and situated at ATMIYA INSTITUTE OF TECHNOLOGY and SCIENCE, LIFT-03, C, YOGIDHAM GURUKUL, KALAWAD ROAD, RAJKOT, Village: RAJKOT, Taluka: RAJKOT, Dist: RAJKOT, GUJARAT, . This License shall remain valid from 16-May-2023 to 15-May-2028 and is issued subject to the condition set out on the reverse.

PARTICULARS

i. Type of lift : Passenger
ii. Rated Load : 1000.0 Kgs
iii. Rated speed : 1.0m/s
iv. No. Of Floors: B+G+3

Chief Inspector of Lifts & Escalators
West Zone
Rajkot

The day of 30-May-2023


License valid upto the date	Initial of the Chief Inspector of Lift & Escalators
15/05/2028	

Signature valid
Digitally signed by RAJESH KANAR KANTAR DESAI
Date: 2023.05.30 10:44:15 +05'30'
Reason: See document
Location: India





Sanitary Pad Vending Machine & Incinerator - Girls Common Room





Day Care Centre





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Hostels





CCTV Room







Server Room





Fire NOC

 **RAJKOT MUNICIPAL CORPORATION** 

Fire And Emergency Services
 Dr. Ambedkar Bhavan, Dhebar Road, Rajkot – 360 001. Phone No.0281 2227222.
 RMC/RFES/F.No.B208/University Building/NOC/484 /2023. Date 31.08.2023.


FORM B13
 (See Sub-Rule (1) of Rule 23)
FIRE SAFETY CERTIFICATE


Certified that the Atmiya University (Atmiya Institute of Pharmacy, Atmiya Institute of Technology & Science, Atmiya Institute of Technology & Science for Diploma Study), At. S.r.No.123/P, F.P.No.99, O.P.No.30, Yogidham Gurukul, Kalawad Main Road, Nanamava, Rajkot – 360 005, Gujarat (India) Comprised of Building G.F. + 1st Floor To 4th Floor, Height of Building:-23.05 Mt. and Having Occupancies of Education Activity Owned/Occupied by Yogidivine Society Prerit Sarvoday Kelvani Samaj Sanchalit Atmiya Institute of Technology & Science - Rajkot Have Complied With the Fire Prevention and Fire Safety Requirements in Accordance with Section 18 and Verified by the Rohit A. Vigora Station Fire Officer Concerned of Rajkot Fire & Emergency Services on 31/08/2023 in the Presence of H.M. Tank, Management & R.K. Fire & Safety Maheshwari Rameshbhai R. Fire System Management and that the Building/Premises is fit for Occupancy With Effect From For a Period of (from Date:-31/08/2023 to Date:-30/08/2026) Three (03) Year in Accordance With Rules and Subject to Compliance of any Specific Laid by the Issuing Officer.


- You are hereby advised to maintain the fire system in good working condition.

- (1)The Fire Fighting System to be Maintain perfect working condition all the time.
- (2)In Case of Emergency Fire Safety System must be operated by your trained person immediately.
- (3)The Fire Department of RMC will not be responsible for any loss of life & property Due to Fire/Emergency incident of your premises.
- (4)Trained man power shall be available for Firefighting premises round the clock.
- (5)Our fire Certificate is limited to Fire Fighting System available in your premises Only.
- (6) Any other instructions given by fire Department from time to time about fire Safety of the premises to be followed.
- (7)Margin area should be clear as per Approved plan.
- (8)This Certificate has been issued on the base of Documents Produce in front of us; We are not responsible for any forge Presentation of documents in our Office.
- (9)This Certificate is Valid Up to Three Year From The Date of Inspection OR Till The Fire Protection System & Equipments Installed are Working Condition Whichever is Earlier.

Issued on Date: 31/08/2023.


 Dy. Chief Fire Officer
 Fire & Emergency Services
 Rajkot Municipal Corporation




 Chief Fire Officer
 Fire & Emergency Services
 Rajkot Municipal Corporation

© Fire NOC Date - 01-08-2023 To Date - 31-08-2024 (College Fire & No. - 23 - 24) Atmiya University 2023

Page 1





RAJKOT MUNICIPAL CORPORATION

Dr. Ambedkar Bhavan, Dhebar Road
Fire & Emergency Service
Rajkot 360 001.

R.M.C.F.B.NOC.NO.948.

Date:30.11.2019.

:-: REVISED PRIMARY FIRE NO OBJECTION CERTIFICATE :-:

Reference No. 1.RMC.F.B.NOC.E.No.1548, DATE:-29-11-2019.

2.RMC.F.B.NOC.No.604, DATE:-18-02-2019.

This is to Ref. (1) & (2) Revised Primary Fire No Objection Certificate that the Academic Building Owner/Secretary Sarvodaya Kelavani Samaj Rajkot "MULTIPURPOSE ACADEMIC BUILDING", Location:- Yogidham Gurukul, Kalawad Road, Rajkot - 360 005. S.No.123, F.P.No.99, T.P.S.No.Nanamava-3, Prop. B-Up Area=32597.690 sq.mt. F.S.I. B-Up Area =20959.11 Building Floor:-Basement-2, Basement-1 + G.F. + 1st To 10th Floor & Machine Room. Overall Height of Building :-45.00 + 2.90 = 47.90 Mtr.

- The Following Terms & Condition for Revised Primary Academic Fire NOC.**
- (1) Automatic Fire Hydrant & Sprinkler System & Automatic Fire Alarm System & Fire extinguisher & All Fire Safety Equipments installed in Collage Premise Both Side Lobby & Each Floor Building Area ABC Type fire extinguisher Capacity 05 k.g. No's 01 & Co2 Type fire extinguisher 4.5 k.g. No's 01 and also Installed in Old Labs Room Area, Computer Room Area, Office Etc Area Protected with ABC Type fire extinguisher Capacity 5 k.g. No's 01 & Co2 Type fire extinguisher 4.5 k.g. No's 01 installed Building Area in Work Progress Then Fit.
 - (2) Electric Wiring must be proper and that Academic Area Not be Loose and Taped in Room. & Fire Equipments installed Electric Room.
 - (3) There should not be any Obstacle in Exit and Emergency lights in Staircase & Exit Marked by Radium Symbol is Necessary.
 - (4) 1,00,000 Liters Fire Water Tank should be reserved for fighting in underground Fire Water tank and 50,000 Liters in overhead tank.
 - (5) Emergency Services Like Fire, Medical, Police, Health and Academic director Telephone Numbers should be list out put on hand in security entry point and office room.
 - (6) Above must be followed as per Fire Hydrant & Sprinkler System & Automatic Fire Alarm System & Fire Extinguisher Fire Safety Equipments Fire ACT/Rules.





(7) This Revised Primary Fire N.O.C is Automatic Fire Hydrant & Sprinkler System & Automatic Fire Alarm System & Fire extinguisher & Fire Safety Equipments in Work Progress Completed Building Area Then Fit Fire Safety Equipments & Fire Act Followed installed in Academic Premise Area Then Final Fire NOC This Fire N.O.C Fire Department Rajkot.

Note:- (1) R.M.C./F.B./NOC/No.604, Date:-18-02-2019, Pro.NOC Cancel & New Pro. Fire NOC Issued R.M.C./F.B./NOC/No.948, Date:-30-11-2019.

Place:- Rajkot.
Date :- 30-11-2019.





[Signature]
I/C Chief Fire Officer
Fire & Emergency Services
Rajkot Municipal Corporation





FSSAI License

	<p>Form C Government of Gujarat Food And Drugs Control Administration Food Safety and Standards Authority of India License under FSS Act, 2006</p>	
License Number: 10717030000168		
1. Name & Registered Office address of Licensee:	K K MEHTA CHHATRALAYA C/o Sarvodaya Kelvani Samaj K K MEHTA CHHATRALAYA, 'YOGIDHAM GURUKUL', KALAWAD ROAD, RAJKOT 360005 , Rajkot Municipal Corporation, Gujarat-360005	
2. Address of Authorized Premises:	K K MEHTA CHHATRALAYA, 'YOGIDHAM GURUKUL', KALAWAD ROAD, RAJKOT 360005 , Rajkot Municipal Corporation, Rajkot Municipal Corporation, Gujarat-360005	
3. Kind of Business:	Food Services - Restaurants	
4. Dairy Business Details:	No	
5. Category of License:	State License	
This license is granted under and is subject to the provisions of FSS Act, 2006 all of which must be complied with by the licensee.		
Place:	Rajkot Municipal Corporation	Designated Officer
Issued On:	08-09-2022 (Renewal License)	
Valid Upto:	11-09-2027 (For details, refer Annexure)	
Annexures:		
1. Product Annexure		
2. Validity Annexure		
3. Non-Form C Annexure		
4. Conditions Of License		
Note:		
1. Application for renewal of License can be filed as early as 180 days prior to expiry date of License. You can file application for renewal or modification of License by login into FSSAI's Food Safety Compliance System(https://foscos.fssai.gov.in) with your user id and password or call us at 1800112100 for any clarification.		
2. This License is only to commence or carry on food businesses and not for any other purpose.		
3. This is computer generated license and doesn't require any signature or stamp by authority.		
Page 1 of 6		





FSSAI License

Product Annexure



Form C
Government of Gujarat
Food And Drugs Control Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006



License Number: **10717030000168**

Kind Of Business: Food Services - Restaurants

Sl.No.	Product(s)
1	05 - Confectionery
2	16 - Prepared Foods
3	07 - Bakery products
4	12 - Salts, spices, soups, sauces, salads and protein products
5	15 - Ready-to-eat savouries
6	14 - Beverages, excluding dairy products





FSSAI License

Validation And Renewal Annexure



Form C
Government of Gujarat
Food And Drugs Control Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006



License Number: **10717030000168**

Validity From	Validity Upto	Issued On	Fee Paid	Type	Issuing Authority
12-09-2017	11-09-2022	12-09-2017	10000 INR	New	State Licensing Authority
12-09-2022	11-09-2027	08-09-2022	10000 INR	Renewal	State Licensing Authority

Suspension History

S.No	History	Date
	N/A	

Current Status of License: License Issued

Note:

1. Application for renewal of License can be filed as early as 180 days prior to expiry date of License. You can file application for renewal or modification of License by login into FSSAI's Food Safety Compliance System(<https://foscos.fssai.gov.in>) with your user id and password or call us at 1800112100 for any clarification.
2. The Application for renewal of license shall be submitted 30 days prior to the expiry date mentioned above after which Rs. 100 per day will be charged up to the date of expiry.
3. Modification* (if any) denotes the change in the Authority. Issuing Authority mentioned along with Modification* is the Jurisdictional Authority with effect from the date of issuance of modified license.





FSSAI License

Non-Form C Annexure



**Government of Gujarat
Food And Drugs Control Administration
Food Safety and Standards Authority of India
License under FSS Act, 2006**



License Number: **10717030000168**

Person in charge of operations

Name:	Shivani Patel	Qualification:	M Sc
Contact No:	N/A	Mobile No:	9825417049
Email-ID:	parag@aits.edu.in		
Address :	'YOGIDHAM GURUKUL', OPP. SWIMMING POOL, KALAWAD ROAD, RAJKOT 360005		
State:	Gujarat	District:	Rajkot
Pin Code:	360005	Photo Id Card:	Aadhar Card
Photo Id No:	575865432572	Photo Id Expiry Date:	N/A
FoSTaC No:	Not Provided		

Person responsible for complying with conditions of license(The person must be same as mentioned in Form IX, as per FSS Regulations, 2011)

Name:	Shivani Patel	Qualification:	M Sc
Contact No:	N/A	Mobile No:	9825417049
Email-ID:	parag@aits.edu.in		
Address :	'YOGIDHAM GURUKUL', OPP. SWIMMING POOL, KALAWAD ROAD, RAJKOT 360005		
State:	Gujarat	District:	Rajkot
Pin Code:	360005	Photo Id Card:	Aadhar Card
Photo Id No:	575865432572	Photo Id Expiry Date:	N/A

Place: Rajkot Municipal Corporation
Issued On: 08-09-2022 (Renewal License)

Designated Officer

Note: Any change in above details shall be immediately communicated to authorities. You can apply for modification of license for updation of details without any cost through Food Safety Compliance System (<https://foscoss.fssai.gov.in>)





FSSAI License

Condition of License

All Food Business operators shall ensure that the following conditions are complied with at all times during the course of its Food Business.

Food Business Operators Shall:

1. Display a true copy of the license granted in Form C shall at all time at a prominent place in the premises.
2. Give necessary access to licensing authorities or their authorized personnel to the premises.
3. Inform authorities about any change or modifications in activities.
4. Employ at least one technical person to supervise the production process. The person supervising the production process shall possess at least a degree in science with Chemistry/ Bio-chemistry/ Food and nutrition/ Microbiology or a degree or diploma in Food Technology/ Dairy Technology/ Dairy Microbiology/ Dairy chemistry/ Dairy engineering/ Oil technology/ Veterinary science/ Hotel management & Catering technology or any degree or diploma in any other discipline related to the specific requirement of the business from a recognized university or institute or equivalent.
5. Furnish periodic annual return 1st April to 31 st March, with in 31 st May of each year. For collection/ handling/manufacturing of milk and milk product half yearly return also to be furnished as specified.
6. Ensure that no product other than the product indicated in the license /registration is produced in the unit.
7. Maintain factory's sanitary and hygienic standards and workers hygiene as specified in the schedule-4 according to the category of food business.
8. Maintain daily records of production, raw materials utilization and sales separately.
9. Ensure that the source and standards of raw material used are of optimum quality.
10. Food business operator shall not manufacture , store or expose for sale or permit the sale of any article of food in any premises not effectively separated to the satisfaction of the licensing authority from any privy, urine, sullage ,drain or place of storage of foul and waste matter
11. Ensure clean-in-place system (whatever necessary) for regular cleaning of machine & equipment.
12. Ensure testing of relevant chemical and/or microbiological contaminants in food products in accordance with these regulation as frequency as required on the basis of historical data and risk assessment to ensure production and delivery of safe food through own or NABLaccredited/ FSSAI recognized labs atleast once in six month.
13. Ensure that as much as possible the required temperature shall be maintained throughout the supply chain from the place of procurement or sourcing till it reaches the end consumer including chilling, transportation, storage etc.
14. The Manufacturer/ Importer/ Distributer shall buy and sell food products only from, or to , licensed / registered vendors and maintain record thereof.





FSSAI License

Other Condition

1. Proprietors of hotels, restaurants and other food stalls who sell or expose for sale savouries, sweets or other article of food shall put up a notice board containing separates lists of the articles which have been cooked in ghee, edible oil, vanaspati and other fats for the information of the intending purchasers.
2. Food business operator selling cooked or prepared food shall display a notice board containing the nature of articles being exposed for sale.
3. Every manufacture (including ghani operator) or wholesale dealer in butter ,ghee ,vanaspti ,edible oils, solvent extracted oil, de oiled meal, edible flour and any other fats shall minimum a register showing the quantity of manufactured, received or sold, nature of oil seed used and quantity of de oiled meal and edible flour used etc. as applicable and the destination of each consignment of the substances sent out from his factory or place of business, and shall present such register for inspection whenever required to do so by the licensing authority.
4. No producer or manufacturer or vegetable oil ,edible oil and their products shall be edible for license under this act ,unless he has own laboratory facility for analytical testing of samples
5. Every sale and movement of stocks of solvents- extracted oil ,'semi refined' or 'raw grade I' , edible groundnut flour or edible coconut flour ,or both by the producer shall be a sale or movement of stocks directly to a registered user and not to any other person ,and no such sale or movement shall be effected through any third party.
6. Every quantity of solvent-extracted oil ,edible groundnut flour or edible coconut flour ,or both purchased by a registered user shall be used by him in his own factory entirely for the purpose intended and shall not be re-sold or otherwise transferred to any other person :
Provided that nothing in this sub-clause shall apply to the sale or movement of the following:-
 1. Karanjia oil
 2. Kusum oil
 3. Mahua oil
 4. Neem oil
 5. Tamarind seed oil
 6. Edible groundnut flour bearing the I.S.I certification mark
 7. Edible coconut flour bearing the I.S.I certificate mark
7. No food business operator shall sell or distribute or offer for sale or dispatch or deliver to any person for purpose of sale any edible oil which is not packed, marked and labeled in the manner specified in the regulations unless specifically exempted from this condition vide notification in the official Gazette issued in the public interest by food safety commissioners in specific circumstances and for a specific period and for reason to be recorded in writing.






Student Canteen





Mess - Aswad






'Aswad' Mess –Kitchen with AHU





ATM Centre





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967


Criterion 4

I & LR

KI 4.1

M 4.1.1

Student Store





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Vehicle Parking



Transportation Facility





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1


M 4.1.1

Pradhanmantri Bhartiya Jan Aushadhi Kendra





Central Stock Warehouse & Maintenance Cell - Chidakash-





Gas Plant





Pilot Plant





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Terrace Solar Panel System (Power Generation Facility)





Out Door Sports-Play Ground





RO Plant





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Elevator





Electricity Control Panel & Green Power Backup





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

EVAC (Electric Vehicle Alternating Current) Charger





Green Power Backup – UPS





**ATMIYA
UNIVERSITY**

NAAC – Cycle – 1

AISHE: U-0967

Criterion 4

I & LR

KI 4.1

M 4.1.1

Power Generator





Electricity Control Panel



Registrar
Atmiya University
Rajkot

Atmiya University, Rajkot-Gujarat-India

