

 ATMIYA UNIVERSITY	NAAC – Cycle – 1 AISHE: U-0967	
	Criterion-3	R,I & E
	KI 3.1	M 3.1.1

3.1.1	The institution's Research facilities are frequently updated and there are well defined policy for promotion of research which is uploaded on the institutional website and implemented
-------	---

Procurement and Maintenance of Instruments through Atmiya ePortal (In-house Developed)



Purchase Indent in Atmiya ePortal (In-house Developed)

ATMIYA ePortal

Search...

Dashboard
Leaves
Daily Diary
Indent
Indent Application
Indent Report
Indent Approval
Maintenance
Attendance
Students Section
Feedback
Food Service
Salary
Self-Appraisal
Transportation Service
Manage Profile

Indent Application List

From Date: 01-09-2024 To Date: 29-11-2024 Type: All Search

Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
A18836	9173028237	218-220 microbiology lab	2303	12-01-2024	Abrasive paper	2	lab cleaning	No-Nos		-
A19034	9173028237	281-220 Microbiology Lab	2305	02-08-2024	Washing Liquid	3	Washing	LTR-LTRS		-
					Hand Wash	3	Hand Wash	LTR-LTRS		-
					Phynyl Liquid	3	Cleaning	LTR-LTRS		-
					Phenyl Ball	50	Cleaning	LTR-LTRS		-
A20195	9173028237	281-220 Microbiology Lab	2305	26-11-2024	PH-80 Hydrotester-HM Digital	1	practical	No-Nos		Department Of Microbiology
A20231	9173028237	281-220 Microbiology Lab	2305	08-11-2024	Washing Liquid	3	Washing	LTR-LTRS		Department Of Microbiology
					Phenyl Balls	50	Lab use	No-Nos		Department Of Microbiology

**Registrar
Atmiya University
Rajkot**





ATMIYA ePortal

Indent Application List

From Date: 15-09-2022 To Date: 29-11-2024 Type: All Search

Item Status: Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Discription	Quantity	Purpose	Unit	Reason	Approval From
A12326	9173028237	328 Ganesah hall	1720	29-11-2022	Ph meter glass rod	1	Practical	No-Nos	-	-
A12773	9173028237	328-A PG bioscience lab	1720	02-01-2023	Na k tartrate	1	Practical	KG-KGS	-	-
					Tri-ast	500	Practical	GRM	-	-
					Tri-buffer	500	Practical	GRM	-	-
					Sodium bicarbonate	500	Practical	GRM	-	-
					TLC sheet	1	Practical	P/KT-P/KTS	-	-
					Blood grouping kit	2	Practical	No-Nos	-	-
					HIV kit	100	Practical	No-Nos	-	-

ATMIYA ePortal

Indent Application List

From Date: 22-02-2023 To Date: 01-08-2023 Type: All Search

Item Status: Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Discription	Quantity	Purpose	Unit	Reason	Approval From
A13374	9173028237	328-A PG bioscience lab	1720	02-02-2023	Microscope over head projection mount	1	Practical	No-Nos	-	-

ATMIYA ePortal

Indent Application List

From Date: 01-08-2023 To Date: 01-08-2023 Type: All Search

Item Status: Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Discription	Quantity	Purpose	Unit	Reason	Approval From
A15208	9173028237	218-220 microbiology lab	2303	01-08-2023	Sub meter with plain and white color's design (A1.B91)	2	practical	No-Nos	-	-





ATMIYA ePortal

Search...

Indent Application List

From Date: 17-01-2023 To Date: 29-11-2024 Type: All Search

Item Distributed by State: Pending, Approve, Reject, Received

Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
A13326	7567689583	VSC Lab No. 122	2202	20-02-2023	Register	2	lab use (200 pg)	No-Nos		-
					thermometer	1	lab use	No-Nos		-
					parafilm	1	lab use	No-Nos		-
					column chromatography phosphatase	1	mac: disertation	No-Nos		-
					tissue roll	2	lab use	No-Nos		-
					cotton roll	1	lab use	No-Nos		-
eryvials	100	lab use	No-Nos		-					
A13327	7567689583	VSC Lab No. 122	2202	20-02-2023	marker	5	lab use (blue, black, red)	No-Nos		-
					pen	10	lab use (blue, black,red)	No-Nos		-
					cellotape	1	lab use (transparent 1 inch)	No-Nos		-
					rubber band	1	lab use	PKT-PKTS		-
					formaldehyde	1	lab use	LTR-LTRS		-
					potassium permangan	1	lab use	KG-KGS		-
A13381	7567689583	VSC Lab No. 122	2202	23-02-2023	microscope overhead projection mount	1	lab use	No-Nos		-
					nepheloturbidometer	1	lab use	No-Nos		-

ATMIYA ePortal

Search...

Indent Application List

From Date: 26-11-2024 To Date: 29-11-2024 Type: All Search

Item Distributed by State: Pending, Approve, Reject, Received

Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
A20198	7567689583	VSC Lab No. 121	2202	26-11-2024	PH-80 Hydrotester-III Digital	1	Practical	No-Nos		Department Of Microbiology

Registrar
Atmiya University
Rajkot





ATMIYA ePortal bhargav.waghela@atmiyauni.ac.in

Search...

Indent Application List

From Date: 01-09-2024 To Date: 29-11-2024 Type: All Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Discription	Quantity	Purpose	Unit	Reason	Approval From
A19421	9428272339	326 A, PG Bioscience lab, AU Main building	1222	11-09-2024	Table Fan	1	For Lab	No-Nos	-	-
A14341	9428272339	Microbiology New Staff room, A Wing, AITS building	2221	17-05-2023	Liquid Phenyle	1	Cleaning	LTR-LTRS	-	-
					Glass Cleaner (Colin)	1	Cleaning	LTR-LTRS	-	-
					Liquid hand wash	500	Hand wash	ML	-	-
					Phenyle tablets (Naphelene balls)	2	Cleaning	PKT-PKTS	-	-
A14955	9428272339	Micro New Staff Room, A Wing, AITS Building	2221	11-07-2023	A4 Paper Sheets	1	Documentations	PKT-PKTS	-	-





Maintenance Call in Atmiya ePortal (In-house Developed)

ATMIYA ePortal 59 bhargav.waghela@atmiyauni.ac.in

Search...

- Dashboard
- Leaves
- Indent
- Maintenance
 - Maintenance Dashboard
 - Maintenance Application
 - Maintenance Report
- Attendance
- Students Section
- Feedback
- Food Service
- Salary new
- Self-Appraisal new
- Transportation Service
- Manage Profile new

Maintenance Dashboard

From Date: 01-09-2024 To Date: 29-11-2024 Work Types: ALL Search

Work Not Allocate Work Allocate Work Completed Not Consider
Work Completed For Staff Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AU (M.Sc. - Micro)	Email : bhargav.waghela@atmiyauni.ac.in Phone : 9428272339 Intercome Number : 2221	17-11-2022	Computer Hardware	Room No. 343	Computer CPU is not working.	Kamlesh Kalyanjibhai Shrimali			
2	AUFS (Microbiology)	Email : bhargav.waghela@atmiyauni.ac.in Phone : 9428272339 Intercome Number : 1014	15-03-2023	Computer Hardware	Room No. 344	Mouse and Keyboard not working.	Pratik Mansukhlal Parmar			
3	AUFS (Microbiology)	Email : bhargav.waghela@atmiyauni.ac.in Phone : 9428272339 Intercome Number : 2221	21-03-2023	Computer Hardware	AITs, Room No. 344	Projector-Problem in Projection of content (intense colored projection).	Pratik Mansukhlal Parmar			
4	AUFS (Microbiology)	Email : bhargav.waghela@atmiyauni.ac.in Phone : 9428272339 Intercome Number : 2221	18-10-2024	Computer Hardware	Microbiology Staff Room, A wing, AU main building	Room No. 405, 4th floor, AU building, CPU is not working.	Sagar Kaushikbhai Joshi			

Work Completed Work Not Completed

**Registrar
Atmiya University
Rajkot**





ATMIYA ePortal rohan.pandya@atmiyauni.ac.in

Maintenance Dashbord

From Date: 01-09-2024 To Date: 29-11-2024 Work Types: ALL

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AUFS (Microbiology)	Email : rohan.pandya@atmiyauni.ac.in Phone : 9825473703 Intercome Number : 2221	04-08-2021	A.C.	Bioinformatics Lab. Room No. 109, VSC Building	Cooling is not generated	Jayesh Haribhai Parmar			
2	AUFS (Microbiology)	Email : rohan.pandya@atmiyauni.ac.in Phone : 9825473703 Intercome Number : 2221	08-05-2024	Computer Hardware	Staff Room, Department of Microbiology, Faculty Block, A Wing, 3rd Floor, Atmiya Univeristy, Rajkot	Request for desktop password reset	Pratik Mansukhlal Parmar			
3	AUFS (Microbiology)	Email : rohan.pandya@atmiyauni.ac.in Phone : 9099076158 Intercome Number : 2221	27-06-2024	Computer Hardware	Microbiology staff room, A wing 3 rd floor, Atmiya Building	Internet connection not working.	Pradip Haribhai Parmar			





ATMIYA ePortal

Search...

Maintenance Dashboard

From Date: 05-09-2023 To Date: 29-11-2024 Work Types: ALL Search

Work Not Allocate
Work Allocate
Work Completed
Not Consider
Work Completed For Staff
Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2303	18-12-2023	Plumbing	217 Phd lab	dripping water from tap	Ramesh Bhanulal Padaliya			
2	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	27-02-2024	Plumbing	217 Ph.D Lab(virani Buliding)	pipe breakage	Ramesh Bhanulal Padaliya			
3	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	15-04-2024	Computer Hardware	218-220 Microbiology Lab	Transfer of Computer system with Internet Connection from Lab 218-220 to the microbiology staffroom	Pratik Mansukhlal Parmar			
4	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	24-06-2024	Computer Hardware	218-220 microbiology lab	Pc Transfer from AU Microbiology staff room A-wing to vsc buliding 218-220 Microbiology Lab	Sagar Kaushikbhai Joshi			
5	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	24-06-2024	Electrical	218-220 microbiology lab	Tubelight is not working in 218-220 Microbiology Lab VSC buliding	Premjibhai Savjibhai Vegda			
6	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	05-09-2024	Instruments - Science	281-220 Microbiology Lab	Spark in Autoclave.	Pramanik Vinodbhai Maru			

Work Completed Work Not Completed





ATMIYA ePortal

Maintenance Dashboard

From Date: 15-09-2022 To Date: 29-11-2024 Work Types: ALL

Work Not Allocated | Work Allocated | Work Completed | Not Consider | Work Completed For staff | Work Not Completed

No.	College Name (Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	2024010235 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	24-06-2024	Electrical	218-220 microbiology lab	Tubelight is not working in 218-220 Microbiology Lab VSC building	Premjibhai Savjibhai Vegda			
2	2022050264 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 1720	07-11-2022	A.C.	326 (PG Bioscience Lab)	The freeze of -20 sounds.	Jayesh Hanibhai Parmar			
3	2024080010 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	09-09-2024	Instruments - Science	281-220 Microbiology Lab	Spark in Autoclave.	Pramanik Vinodbhai Maru			
4	2023070010 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	26-06-2023	Instruments - Science	218-220 microbiology lab	Heating sensor of autoclave is detached.	Vipul Bipinchandra Pandya			
5	2024090224 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	24-06-2024	Computer Hardware	218-220 microbiology lab	Pc Transfer from AU Microbiology staff room A-wing to vsc building 218-220 Microbiology Lab	Segar Kaushikbhai Joshi			
6	2022070040 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 1720	02-12-2022	Instruments - Science	326 B pg bioscience lab (Genesh hall)	Ph meter glass rod is broken (instrumentation room)	Vipul Bipinchandra Pandya			
7	2024060370 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	19-04-2024	Computer Hardware	218-220 Microbiology Lab	Transfer of Computer system with Internet Connection from Lab 218-220 to the microbiology staffroom	Pratik Mansukhlal Parmar			
8	2023090177 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 1720	19-06-2023	Electrical	326-A PG bioscience lab	Light is not working.	Premjibhai Savjibhai Vegda			
9	2022050615 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 1720	02-11-2022	Electrical	326 B pg bioscience lab (Genesh hall)	Fan is not working (washing area 2)	Premjibhai Savjibhai Vegda			
10	2024100021 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	27-02-2024	Plumbing	217 Ph.D Lab (virani Building)	pipe breakage	Ramesh Bhanulal Padaiya			
11	2022050543 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 1720	07-11-2022	Electrical	326 (PG Bioscience Lab)	Biosafety don't turn on.	Premjibhai Savjibhai Vegda			
12	2023100338 AU (Microbiology)	Email: jenvi.hirani@atmiyauni.ac.in Phone: 9173028237 Intercom Number: 2305	18-12-2023	Plumbing	217 Phd lab	dripping water from tap	Ramesh Bhanulal Padaiya			

Work Completed | Work Not Completed





ATMIYA ePortal

Maintenance Dashboard

From Date: 01-09-2024 To Date: 29-11-2024 Work Types: ALL

Work Not Allocated Work Allocate Work Completed Not Consider Work Completed For Staff Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AU (Microbiology)	Email : surebhi.jethava@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	12-03-2024	Civil Work	AU Biosciences Lab 326 A	Washbasin Partition was Broken	Penkaj Vansabhai Niranjani			
2	AU (Microbiology)	Email : surebhi.jethava@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	01-08-2024	Carpenter	VSC Lab No. 121,122	Drawer and Cabinet Lock with key Require in lab no.122 ,Preparation aree and Inoculation room .	Ramesh Bhanulal Pedaliya			
3	AU (Microbiology)	Email : surebhi.jethava@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	13-08-2024	Instruments - Science	VSC Lab No. 121	Kinetic mode program is not working in Meril Cliniquant Biochemical Analyser .	Pramanik Vinodbhai Maru			

Work Completed Work Not Completed

ATMIYA ePortal

Maintenance Dashboard

From Date: 06-06-2024 To Date: 29-11-2024 Work Types: ALL

Work Not Allocated Work Allocate Work Completed Not Consider Work Completed For Staff Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AU (Microbiology)	Email : surebhi.jethava@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	06-08-2024	Instruments - Science	VSC Lab No. 121	Autoclave temperature and pressure does not rise during cycle.	Pramanik Vinodbhai Maru			
2	AU (Microbiology)	Email : surebhi.jethava@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	13-08-2024	Instruments - Science	VSC Lab No. 121	Kinetic mode program is not working in Meril Cliniquant Biochemical Analyser .	Pramanik Vinodbhai Maru			
3	AU (Microbiology)	Email : surebhi.jethava@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	09-09-2024	Instruments - Science	VSC Lab No. 122	Rotor fixed in cooling centrifuge.	Pramanik Vinodbhai Maru			

Work Completed Work Not Completed



ATMIYA ePortal

Maintenance Dashboard

From Date: 17-01-2023 To Date: 29-11-2024 Work Types: ALL Search

Work Not Allocate Work Allocate Work Completed Not Consider Work Completed For Start Work Not Completed

No.	College Name (Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	2023050043 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	17-02-2023	Electrical	VSC Lab No. 121,122	water bath and autoclave door not work properly.	Premjibhai Savjibhai Vegde			
2	2023060233 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	17-02-2023	Other (gas line)	VSC Lab No. 122	Gas line is not connected to the laminar air flow			change work type "Instrument Science"	
3	2023100071 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	15-03-2023	Plumbing	VSC Lab No. 122	water leakage from roof	Ramesh Bhanulal Padaliya			
4	2023080412 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	29-03-2023	Computer Hardware	VSC Lab No. 121	C.P.U BIOS BATTERY REPLACEMENT	Vipul Harikrishnabhai Vyas			
5	2023060351 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	10-05-2023	Carpenter	VSC Lab No. 122	the door is broken	Ramesh Bhanulal Padaliya			
6	2023110448 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	08-12-2023	Carpenter	AU 326 A Biosciences Lab	The door is broken	Ramesh Bhanulal Padaliya			
7	2024070006 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	04-03-2024	Instruments - Science	AU Biosciences Lab 326 A	Orbital shaking incubator (LABTOP Quality lab Equipment) during shaking condition knocking voice and also Jolting was observed	Pramanik Vinodbhai Maru			
8	2024050035 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	12-03-2024	Carpenter	AU Biosciences Lab 326 A	Door broken	Pankaj Vamanbhai Niranjani			
9	2024100025 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	12-03-2024	Civil Work	AU Biosciences Lab 326 A	Washbasin Partition was Brocken	Pankaj Vamanbhai Niranjani			
10	2024060588 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	15-04-2024	Computer Hardware	AU Biosciences Lab 326 A	Computer transfer from Au Biosciences Lab 326 A to Microbiology Faculty Block with internet Connection	Pratik Mansukhlal Parmar			
11	2024060631 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	29-04-2024	Computer Hardware	AU BIOSCIENCES lab 326 A	computer software update (Microbiology faculty block)	Kaushik Jivanbhai Makwana			
12	2024070013 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 1720	10-06-2024	Instruments - Science	AU Biosciences Lab 326 A	Microscope Maintenance	Pramanik Vinodbhai Maru			
13	2024090540 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	01-08-2024	Carpenter	VSC Lab No. 121,122	Drawer and Cabinet Lock with key Require in lab no.122 , Preparation area and Inoculation room .	Ramesh Bhanulal Padaliya			
14	2024080003 AU (Microbiology)	Email : surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercom Number : 2202	06-08-2024	Instruments - Science	VSC Lab No. 121	Autoclave temperature and pressure does not rise during cycle.	Pramanik Vinodbhai Maru			

Registrar
Atmiya University
Rajkot

