

 ATMIYA UNIVERSITY	NAAC – Cycle – 1 AISHE: U-0967
Criterion-3	R,I & E
KI 3.3	M 3.3.1

3.3.1	Institution has created an ecosystem for innovations, Indian Knowledge System (IKS) including awareness about IPR, establishment of IPR cell, Incubation centre and other initiatives for the creation and transfer of technology/knowledge and the outcomes of the same are evident
-------	--

Procurement and Maintenance of Instruments through Atmiya ePortal (In-house Developed)



Atmiya University, Rajkot-Gujarat-India

Atmiya University
Rajkot





**ATMIYA
UNIVERSITY**

**NAAC – Cycle – 1
AISHE: U-0967**

Criterion-3

R,I & E

KI 3.3

M 3.3.1

Purchase Indent in Atmiya ePortal (In-house Developed)

Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
A16836	9173028237	218-220 microbiology lab	2303	12-01-2024	Abrasive paper	2	lab cleaning	No-Nos	-	
A19034	9173028237	281-220 Microbiology Lab	2305	02-08-2024	Washing Liquid	3	Washing	LTR-LTRS	-	
					Hand Wash	3	Hand Wash	LTR-LTRS	-	
					Phynol Liquid	3	Cleaning	LTR-LTRS	-	
					Phenyl Bell	50	Cleaning	LTR-LTRS	-	
A20195	9173028237	281-220 Microbiology Lab	2305	26-11-2024	PH-80 Hydrotester+HM Digital	1	practical	No-Nos	Department Of Microbiology	
A20231	9173028237	281-220 Microbiology Lab	2305	28-11-2024	Washing Liquid	3	Washing	LTR-LTRS	Department Of Microbiology	
					Phenyl balls	50	Lab use	No-Nos	Department Of Microbiology	

Atmiya University, Rajkot-Gujarat-India

**Atmiya University
Rajkot**





ATMIYA UNIVERSITY

NAAC – Cycle – 1
AISHE: U-0967

Criterion-3

R,I & E

KI 3.3

M 3.3.1

ATMIYA ePortal		Indent Application List										
		From Date		To Date		Type						
		15-09-2022		29-11-2024		All						
		Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
		A12326	9173028237	326 Ganesh hall	1720	28-11-2022	Ph meter glass rod	1	Practical	No-Nos	-	-
		A12773	9173028237	326-A PG bioscience lab	1720	02-01-2023	Na k tartrate	1	Practical	KG-KGS	-	-
							Tri-cl	500	Precoital	GRM	-	-
							Tria-buffer	500	Practical	GRM	-	-
							Sodium bicarbonate	500	Practical	GRM	-	-
							TLC sheet	1	Practical	PKT-PKTS	-	-
							Blood grouping kit	2	Practical	No-Nos	-	-
							HIV kit	100	Practical	No-Nos	-	-
ATMIYA ePortal		Indent Application List										
		From Date		To Date		Type						
		22-02-2023		01-08-2023		All						
		Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
		A13574	9173028237	326-A PG bioscience lab	1720	22-02-2023	Microscope over head projection mount-l number	1	Practical	No-Nos	-	-
ATMIYA ePortal		Indent Application List										
		From Date		To Date		Type						
		01-08-2023		01-08-2023		All						
		Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
		A15208	9173028237	218-220 microbiology lab	2303	01-08-2023	Butyrometer with plain neck 10% Dr.Gerber's design[10.891]	2	practical	No-Nos	-	-

Atmiya University, Rajkot-Gujarat-India

**Atmiya University
Rajkot**





ATMIYA UNIVERSITY

NAAC – Cycle – 1
AISHE: U-0967

Criterion-3

R,I & E

KI 3.3

M 3.3.1

ATMIYA ePortal

Indent Application List

From Date: 17-01-2023 To Date: 29-11-2024 Type: All

Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
A13326	7567689583	VSC Lab No.122	2202	20-02-2023	Register	2	lab use (200 pg)	No-Nos	-	
					thermometer	1	lab use	No-Nos	-	
					parafilm	1	lab use	No-Nos	-	
					column chromatography phosphatase	1	mac dissertation	No-Nos	-	
					tissue roll	2	lab use	No-Nos	-	
					cotton roll	1	lab use	No-Nos	-	
					cryovials	100	lab use	No-Nos	-	
A13327	7567689583	VSC Lab No.122	2202	20-02-2023	marker	5	lab use (blue, black, red)	No-Nos	-	
					pen	10	lab use (blue, black, red)	No-Nos	-	
					cellotape	1	lab use (transparent 1 inch)	No-Nos	-	
					rubber-band	1	lab use	PKT-PKTS	-	
					formaldehyde	1	lab use	LTR-LTRS	-	
					potassium permanganate	1	lab use	KG-KGS	-	
A13381	7567689583	VSC Lab No.122	2202	23-02-2023	microscope overhead projection mount	1	lab use	No-Nos	-	
					nepheliturbidometer	1	lab use	No-Nos	-	

ATMIYA ePortal

Indent Application List

From Date: 26-11-2024 To Date: 29-11-2024 Type: All

Pending Approve Reject Received Item Distributed by Store

Indent Number	Phone	Place	Intercome Number	Date	Item Description	Quantity	Purpose	Unit	Reason	Approval From
A20198	7567689583	VSC Lab No.121	2202	26-11-2024	pH-80 Hydrometer-HM Digital	1	Practical	No-Nos	-	Department Of Microbiology

Atmiya University, Rajkot-Gujarat-India

**Atmiya University
Rajkot**





ATMIYA UNIVERSITY

NAAC – Cycle – 1
AISHE: U-0967

Criterion-3

KI 3.3

R,I & E

M 3.3.1

Atmiya University, Rajkot-Gujarat-India

Atmiya University
Rajkot





Maintenance Call in Atmiya ePortal (In-house Developed)

ATMIYA ePortal

Search... Q

- Dashboard
- Leaves
- Indent
- Maintenance
 - Maintenance Dashboard
 - Maintenance Application
 - Maintenance Report
- Attendance
- Students Section
- Feedback
- Food Service
- Salary new
- Self-Appraisal new
- Transportation Service new
- Manage Profile new

59 ✉ bhargav.waghela@atmiyauni.ac.in

Maintenance Dashboard

From Date: 01-09-2024 To Date: 29-11-2024 Work Types: ALL

Search Work Not Allocate Work Allocate Work Completed Not Consider Work Completed For Staff Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AU (M.Sc. - Micro)	Email: bhargav.waghela@atmiyauni.ac.in Phone: 9428272339 Intercome Number: 2221	17-11-2022	Computer Hardware	Room No. 343	Computer CPU is not working.	Kamlesh Kalyanjibhai Shrimali			
2	AUFS (Microbiology)	Email: bhargav.waghela@atmiyauni.ac.in Phone: 9428272339 Intercome Number: 1014	15-03-2023	Computer Hardware	Room No. 344	Mouse and Keyboard not working.	Pratik Mansukhlal Parmar			
3	AUFS (Microbiology)	Email: bhargav.waghela@atmiyauni.ac.in Phone: 9428272339 Intercome Number: 2221	21-03-2023	Computer Hardware	AITS, Room No. 344	Projector-Problem in Projection of content (intense colored projection).	Pratik Mansukhlal Parmar			
4	AUFS (Microbiology)	Email: bhargav.waghela@atmiyauni.ac.in Phone: 9428272339 Intercome Number: 2221	18-10-2024	Computer Hardware	Microbiology Staff Room, A wing, AU main building	Room No. 405, 4th floor, AU building, CPU is not working.	Sagar Kaushikbhai Joshi			

Work Completed Work Not Completed

Atmiya University, Rajkot-Gujarat-India

**Atmiya University
Rajkot**





**ATMIYA
UNIVERSITY**

**NAAC – Cycle – 1
AISHE: U-0967**

Criterion-3

R,I & E

KI 3.3

M 3.3.1

ATMIYA ePortal

Maintenance Dashboard

From Date	To Date	Work Types	Search							
01-09-2024	29-11-2024	ALL								
<input type="button" value="Work Not Allocate"/> <input type="button" value="Work Allocate"/> <input type="button" value="Work Completed"/> <input type="button" value="Not Consider"/> <input type="button" value="Work Completed For Staff"/> <input type="button" value="Work Not Completed"/>										
No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AUFS (Microbiology)	Email : rohan.pandya@atmiyauni.ac.in Phone : 9825473703 Intercome Number : 2221	04-08-2021	A.C.	Bioinformatics Lab. Room No. 109, VSC Building	Cooling is not generated	Jayesh Haribhai Parmar			
2	AUFS (Microbiology)	Email : rohan.pandya@atmiyauni.ac.in Phone : 9825473703 Intercome Number : 2221	08-05-2024	Computer Hardware	Staff Room, Department of Microbiology, Faculty Block, A Wing, 3rd Floor, Atmiya University, Rajkot	Request for desktop password reset	Pratik Mansukhlal Parmar			
3	AUFS (Microbiology)	Email : rohan.pandya@atmiyauni.ac.in Phone : 9099076158 Intercome Number : 2221	27-06-2024	Computer Hardware	Microbiology staff room, A wing 3 rd floor, Atmiya Building	Internet connection not working.	Pradip Haribhai Parmar			

Atmiya University, Rajkot-Gujarat-India

**Atmiya University
Rajkot**



 ATMIYA UNIVERSITY	NAAC – Cycle – 1 AISHE: U-0967
Criterion-3	R,I & E
KI 3.3	M 3.3.1

ATMIYA ePortal

Maintenance Dashboard

From Date: 05-09-2023 To Date: 29-11-2024 Work Types: ALL

Search Work Not Allocate Work Allocate Work Completed Not Consider Work Completed For Staff Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2303	18-12-2023	Plumbing	217 Phd lab	dripping water from tap	Ramesh Bhanulal Padaliya			
2	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	27-02-2024	Plumbing	217 Ph.D Lab(virani Buliding)	pipe breakage	Ramesh Bhanulal Padaliya			
3	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	15-04-2024	Computer Hardware	218-220 Microbiology Lab	Transfer of Computer system with Internet Connection from Lab 218-220 to the microbiology staffroom	Pratik Mansukhlal Parmar			
4	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	24-06-2024	Computer Hardware	218-220 microbiology lab	Pc Transfer from AU Microbiology staff room A-wing to vsc buliding 218-220 Microbiology Lab	Sagar Kaushikbhai Joshi			
5	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	24-06-2024	Electrical	218-220 microbiology lab	Tubelight is not working in 218-220 Microbiology Lab VSC buliding	Premjibhai Savjibhai Vegda			
6	AU (Microbiology)	Email : janvi.hirani@atmiyauni.ac.in Phone : 9173028237 Intercome Number : 2305	05-09-2024	Instruments - Science	281-220 Microbiology Lab	Spark in Autoclave.	Pramanik Vinodbhai Maru			

Work Completed Work Not Completed

Atmiya University, Rajkot-Gujarat-India

Atmiya University
Rajkot





ATMIYA UNIVERSITY

NAAC – Cycle – 1
AISHE: U-0967

Criterion-3

R,I & E

KI 3.3

M 3.3.1

ATMIYA ePortal

Maintenance Dashboard

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	2024010238 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028235 Intercome Number: 2305	24-06-2024	Electrical	218-220 microbiology lab	Tubelight is not working in 218-220 Microbiology Lab VSC building	Premjibhai Savjibhai Vegda			
2	2022050364 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 1720	07-11-2022	A.C.	326 (PG Bioscience Lab)	The freeze of-20 sounds.	Jayesh Haribhai Parmar			
3	■ 2024080010 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 2305	05-09-2024	Instruments - Science	281-220 Microbiology Lab	Spark in Autoclave.	Pramanik Vinodbhai Maru			
4	■ 2023070010 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 2305	26-08-2023	Instruments - Science	218-220 microbiology lab	Heating sensor of autoclave is detached.	Vipul Bipinchandra Pandya			
5	2024090024 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 2305	24-06-2024	Computer Hardware	218-220 microbiology lab	Pc Transfer from AU Microbiology staff room A-wing to vsc building 218-220 Microbiology Lab	Sagar Kaushikhai Joshi			
6	2022070040 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 1720	02-12-2022	Instruments - Science	326 B pg bioscience lab(Ganesh hall)	Ph meter glass rod is broken(instrumentation room)	Vipul Bipinchandra Pandya			
7	2024060570 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 2305	15-04-2024	Computer Hardware	218-220 Microbiology Lab	Transfer of Computer system with Internet Connection from Lab 218-220 to the microbiology staffroom	Pratik Mansukhali Parmar			
8	2023090177 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 1720	19-06-2023	Electrical	326-A PG bioscience lab	Light is not working.	Premjibhai Savjibhai Vegda			
9	2022050615 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 1720	02-12-2022	Electrical	326 B pg bioscience lab(Ganesh hall)	Fan is not working(washing area 2)	Premjibhai Savjibhai Vegda			
10	■ 2024100021 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 2305	27-02-2024	Plumbing	217 Ph.D Lab(viren Building)	pipe breakage	Ramesh Bhanulal Pateloya			
11	2022050543 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 1720	07-11-2022	Electrical	326 (PG Bioscience Lab)	Biosafety don't turn on.	Premjibhai Savjibhai Vegda			
12	■ 2023100338 AU (Microbiology)	Email: jenu.hirani@atmiyuuni.ac.in Phone: 9173028237 Intercome Number: 2303	18-12-2023	Plumbing	217 Phd lab	dripping water from tap	Ramesh Bhanulal Pateloya			

[Work Completed](#) [Work Not Completed](#)

Atmiya University, Rajkot-Gujarat-India

Atmiya University
Rajkot





ATMIYA UNIVERSITY

NAAC – Cycle – 1
AISHE: U-0967

Criterion-3

R,I & E

KI 3.3

M 3.3.1

Maintenance Dashboard										
From Date		To Date		Work Types						
No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	2024100025 AU (Microbiology)	Email : surabhi.jethave@atmiyuuni.ac.in Phone : 7567689583 Intercome Number : 1720	12-03-2024	Civil Work	AU BioSciences Lab 326 A	Washbasin Partition was Broken	Pankaj Vamanbhai Nirajani			
2	2024090340 AU (Microbiology)	Email : surabhi.jethave@atmiyuuni.ac.in Phone : 7567689583 Intercome Number : 2202	01-08-2024	Carpenter	VSC Lab No. 121,122	Drawer and Cabinet Lock with key Require in lab no.122 , Preparation area and Incubation room .	Ramesh Bhanubhai Pedalia			
3	2024080006 AU (Microbiology)	Email : surabhi.jethave@atmiyuuni.ac.in Phone : 7567689583 Intercome Number : 2202	13-08-2024	Instruments - Science	VSC Lab No. 121	Kinetic mode program is not working in Meril Cliniquant Biochemical Analyser .	Pramanik Vinodbhai Maru			

[Work Completed](#) [Work Not Completed](#)

Maintenance Dashboard										
From Date		To Date		Work Types						
No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	2024080003 AU (Microbiology)	Email : surabhi.jethave@atmiyuuni.ac.in Phone : 7567689583 Intercome Number : 2202	06-08-2024	Instruments - Science	VSC Lab No. 121	Autoclave temperature and pressure does not rise during cycle.	Pramanik Vinodbhai Maru			
2	2024080006 AU (Microbiology)	Email : surabhi.jethave@atmiyuuni.ac.in Phone : 7567689583 Intercome Number : 2202	13-08-2024	Instruments - Science	VSC Lab No. 121	Kinetic mode program is not working in Meril Cliniquant Biochemical Analyser .	Pramanik Vinodbhai Maru			
3	2024080014 AU (Microbiology)	Email : surabhi.jethave@atmiyuuni.ac.in Phone : 7567689583 Intercome Number : 2202	09-09-2024	Instruments - Science	VSC Lab No. 122	Rotor fixed in cooling centrifuge.	Pramanik Vinodbhai Maru			

[Work Completed](#) [Work Not Completed](#)

Atmiya University, Rajkot-Gujarat-India

Atmiya University
Rajkot



 <h1 style="font-size: 2em; margin: 0;">ATMIYA UNIVERSITY</h1>	NAAC – Cycle – 1 AISHE: U-0967
	Criterion-3 R,I & E
	KI 3.3 M 3.3.1

ATMIYA ePortal

Maintenance Dashboard

From Date: 17-01-2023 To Date: 29-11-2024 Work Types: ALL

Search

Work Not Allocate Work Allocate Work Completed Not Consider Work Completed For Staff Work Not Completed

No.	College Name(Dept. Name)	Contact Information	Date	Work Type	Place Name	Complain	Work Allocated By	Remarks	Not Consider Reason	Documents
1	2023050045 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	17-02-2023	Electrical	VSC Lab No.121,122	water bath end autoclave doe's not work properly.	Premjibhai Savjibhai Vegda			
2	2023060025 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	17-02-2023	Other (gas line)	VSC Lab No. 122	Gas line is not connected to the laminar air flow			change work type " Instrument- Science"	
3	2023100071 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	15-03-2023	Plumbing	VSC Lab No. 122	water leakage from roof	Ramesh Bhanulal Padaliya			
4	2023080412 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	29-03-2023	Computer Hardware	VSC Lab No. 121	C.P.U BIOS BATTERY REPLACEMENT	Vipul Harikrishnabhai Vyas			
5	2023080351 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	10-05-2023	Carpenter	VSC Lab No. 122	the door is broken	Ramesh Bhanulal Padaliya			
6	2023110448 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	08-12-2023	Carpenter	AU 328 A Biosciences Lab	The door is broken	Ramesh Bhanulal Padaliya			
7	2024070006 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	04-03-2024	Instruments - Science	AU Biosciences Lab 328 A	Orbital shaking incubator (LABTOP Quality/ lab Equipment) during shaking condition knocking voice and also Jolting was observed	Pramanik Vinodbhai Maru			
8	2024050035 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	12-03-2024	Carpenter	AU Biosciences Lab 328 A	Door broken	Pankaj Vamanbhai Niranjani			
9	2024100025 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	12-03-2024	Civil Work	AU Biosciences Lab 328 A	Washbasin Partition was Broken	Pankaj Vamanbhai Niranjani			
10	2024060588 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	15-04-2024	Computer Hardware	AU Biosciences Lab 328 A	Computer transfer from Au Biosciences Lab 328 A to Microbiology Faculty Block with Internet Connection	Pratik Hansukhai Parmar			
11	2024060631 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	29-04-2024	Computer Hardware	AU BIO/SCIENCES lab 328 A	computer software update (Microbiology/faculty block)	Kaushik Sivanhai Makwana			
12	2024070013 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 1720	18-06-2024	Instruments - Science	AU Biosciences Lab 328 A	Microscope Maintenance	Pramanik Vinodbhai Maru			
13	2024090349 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	01-08-2024	Carpenter	VSC Lab No. 121,122	Drawer and Cabinet Lock with key Require in lab no.122 , Preparation area and Incubation room .	Ramesh Bhanulal Padaliya			
14	2024080003 AU (Microbiology)	Email: surebhi.jethave@atmiyauni.ac.in Phone : 7567689583 Intercome Number : 2202	06-08-2024	Instruments - Science	VSC Lab No. 121	Autoclave temperature and pressure does not rise during cycle.	Pramanik Vinodbhai Maru			

Atmiya University, Rajkot-Gujarat-India



Atmiya University
Rajkot

